

# BUNDED TITAN ECOSAFE HORIZONTAL OIL TANK 1000-2500 LITRES

The Kingspan Titan EcoSafe range of banded oil tanks have long been the brand of choice and market leader in the industry when it comes to choosing heating oil tanks. Suitable for domestic, commercial and agricultural heating requirements they safeguard properties against potential oil spills or ground contamination - future proofing your overall heating installation and reducing the risk of costly fines.



## PRODUCT RANGE DETAILS

### FEATURES

---

Watchman Alarm Oil level monitor fitted as standard

---

---

10 year guarantee period (one year on components)

---

---

Lids - Outer Tank 16" Cap, Inner Tank 4" Inspection Cap

---

---

Tank pack includes Watchman Alarm, PTFE Tape, Heldite, Heldite Applicator, Gate Valve & Filter

---

---

Suitable for Kerosene (C1/C2), Fuel Oil (A2) and Gas Oil/Diesel (D) as defined in BS2869 and BS EN590 including upto 7 biofuel to BS EN14214 fuel types

---

---

1" Outlet size

---

---

SpillStop device as standard for overfill prevention

---

---

Regulation compliance - The Control of Pollution (Oil Storage) (England) Regulations 2001, The Water Environment (Oil Storage) (Scotland) Regulations 2006 and Comparable Requirements throughout UK and Ireland

---

Capacity Ltr/Gal	Length (mm)	Width (mm)	Height (mm)	OFCERT N.	Optional accessory
1000/220	2150	690	1480	0642110427	Tigerloop Oil De-Aerator
1200/260	1940	1540	1060	0642041001	Tigerloop Oil De-Aerator OFCERT N. 2181080901
1225/270	2050	900	1515	0642040233	Tigerloop Oil De-Aerator OFCERT N. 2181080901
1300/285	1920	1230	1300	0642109918	Tigerloop Oil De-Aerator OFCERT N. 2181080901
1800/400	2370	1300	1355	0642040234	Tigerloop Oil De-Aerator OFCERT N. 218080901
2500/550	2450	1425	1450	0642069817	Tigerloop Oil De-Aerator OFCERT N. 2181080901

**THE CONTROL OF POLLUTION (OIL STORAGE) (ENGLAND) REGULATIONS 2001, THE WATER ENVIRONMENT (OIL STORAGE) (SCOTLAND) REGULATIONS 2006 AND COMPARABLE REQUIREMENTS THROUGHOUT UK AND IRELAND**

The Control of Pollution (Oil Storage) (England) Regulations 2001, The Water Environment (Oil Storage) (Scotland) Regulations 2006 and Comparable Requirements throughout UK and Ireland

**OVERVIEW**



## FEATURES

---

Integrally Bund area holds 110% of the inner tank capacity.

---

Primary Tank secured in position, reducing stress on fittings.

---

SpillStop Overfill device fitted as standard - regulatory requirement.

---

Watchman Alarm oil level monitor Tank Pack supplied as standard.

---

100% End of Life recyclable.

---

Top outlet and bottom outlet options available.

---

Bund drain off point to remove any liquid contained in the bund.

---

## BENEFITS

---

10 year guarantee (one year on equipment)

---

Double skin means double security eliminating the risk of leaks and spillage.

---

Low maintenance no rust, no painting required.

---

Remote oil level monitor fitted as standard reduces the possibility of running out of fuel for complete control over your heating bills.

---

Top outlet and bottom outlet options for easy access.

---

OFCERT approved and certified and manufactured to ISO standards.

---

All Kingspan Titan oil tanks covered by the CPR are now CE marked.

---