TruckMaster®

Kingspan TITAN

PORTABLE DIESEL STORAGE AND DISPENSING SOLUTIONS AVAILABLE FROM 200-900 LITRES



BUILT ON LEADERSHIP



TruckMaster®

Energy Storage Solutions

Kingspan Titan is an Energy Storage Solutions provider whose mission is to preserve and protect the environment by providing safe and absolute containment of expensive and harmful liquids.

Operating in over 90 countries, we offer a global distribution network of experienced sales and technical teams who provide a full range of focused customer service - including delivery scheduling, consultancy and installation guidance. Kingspan Titan also gives you the confidence of support over the lifetime of your product and beyond.

More than that, we power businesses and lives through total peace of mind.

Kingspan Tita

For over 40 years, Kingspan Titan has designed and manufactured innovative ways to store, dispense and protect AdBlue[®], diesel and oil. We pioneered the world's first environmentally responsible bunded tank, leading change in our sector, and setting industry standards around the world.

As established global market leaders, our diverse range of innovative and environmentally responsible steel and plastic storage solutions offer dispensing and management systems in capacities ranging from 200 to 100,000 litres - ideal for a wide variety of industrial, agricultural, road haulage, mining, manufacturing, and construction applications.



Kingspan Titan TruckMaster®

The Kingspan Titan TruckMaster range has been specifically designed for the safe transportation of diesel fuel. Whether you are in the Agricultural, Construction or Forestry sector the lightweight, robust, portable TruckMaster offers users the ultimate convenience by allowing them to refuel remotely on-site.

Available in four capacities from 200-900 litres, the TruckMaster is built from high quality polyethylene providing resistance to structural damage, changing weather conditions and UV radiation. It also offers a range of dispensing equipment options for almost any type of user.

ADR Approved

The 430 and 900 litre TruckMaster has been tested to meet the requirements of the European Agreement (ADR) for the international Carriage of Dangerous Goods by Road. TruckMaster 200 and 300 litres do not require ADR approval under ADR exemption 1.13.1 c. due to their smaller capacity.

The Kingspan Titan TruckMaster range offers a quality, cost saving and compliant solution backed by excellent technical and customer service support for total peace of mind.

QUALITY

> Robust and resilient product design. With over 40 years' experience delivering high performing products worldwide, you know you can trust a Kingspan Titan TruckMaster.

SAVINGS

Lightweight and portable storage solution means a faster and safer delivery of diesel fuel to any point of use, saving you valuable time and money.

SAFETY

On-site safety is assured as fuels can be transported without the requirement of heavy steel drums or jerry cans, which are liable to spill.

DISPATCHED
WITHIN

A
DAYS*

* Selected models on





KINGSPAN TITAN BUILT ON LEADERSHIP

TruckMaster®

CONVENIENT REFUELLING FOR YOUR MACHINERY

EASY TO TRANSPORT

TRUCKMASTER UNITS FIT ONTO
THE BACK OF SMALL TRUCKS
AND CAN BE SECURED EASILY TO
STANDARD FLATBED VEHICLES

TRANSPORT

CONSTRUCTION

AGRICULTURE







Kingspan TITAN

ENVIRONMENTALLY RESPONSIBLE

The TruckMaster meets all international diesel transportation standards and ADR approvals ensuring the safe containment of your fuel whilst protecting the environment.

KEY BENEFITS

GO ANYWHERE

The TruckMaster gives fuel delivery a new mobility. With the efficiency of an oil tank in miniature, it reaches places a tanker cannot go. Rough land, building sites, narrow access points and farms offer no problem to a TruckMaster.



RELIABILITY The TruckMaster co

The TruckMaster comes with a 5 year guarantee and 1 year on equipment - all supported by localised customer service. We give you the confidence and support over the lifetime of your product and beyond.



IMPORTANT DESIGN FEATURES

The TruckMaster can be easily lifted with its specifically designed lifting eyes or by using a forklift. Additionally, the unique internal baffle wall minimises fuel spillage when the TruckMaster is in transit and all necessary fittings are stored neatly under the lockable lid.



NEW MODELS FOR EFFICIENT TRANSPORTATION AND DELIVERY

The new TruckMaster 200 and 300 litres occupy only half a euro pallet for more economical distribution and reduced delivery costs.





Compact for Euro pallet delivery



ENVIRONMENTAL PROTECTION

The specially designed area under the lockable lid houses the TruckMaster equipment in a secure leak-proof area. This eliminates the risk of dripping fuel often encountered by an external retrofitted nozzle and hose.



4



MODEL SELECTOR

CAPACITIES FROM 200-900 LITRE

NEW TM 200

NEW TM 300







CAPACITY	LENGTH	WIDTH	HEIGHT
200 Litres	600 mm	800 mm	620 mm

CAPACITY	LENGTH	WIDTH	HEIGHT
300 Litres	600 mm	800 mm	890 mm

TM 200

TM 430

TM 900





BE

CAPACITY	LENGTH WIDTH		HEIGHT	
200 Litres	1180 mm	860 mm	500 mm	

430 Litres	1180 mm	860 mm	910 mm
CAPACITY	LENGTH	WIDTH	HEIGHT

CAPACITY	LENGTH	WIDTH	HEIGHT
900 Litres	1410 mm	1050 mm	1210 mm

SPECIFICATION SELECTOR

DESCRIPTION / CAPACITY	TM200 NEW SHAPE	TM300 NEW SHAPE	TM200	TM430	ТМ900
Level gauge				•	•
Ball valve on suction line				•	•
Suction line with mesh filter	•	•	•	•	•
12 V DC pump (max. flow rate 50 I/min)	•	•	•	•	•
6 m power cable with battery clamps	•	•	•	•	•
4 m flexible delivery hose			•	•	•
3,7 m flexible delivery hose	•	•			
Automatic nozzle	•	•	•	•	•
Lid with integrated lock			•	•	•
Lid with separate lock (lock not provided)	•	•			
Vacuum and pressure relief valve (VENT)	•	•	•	•	•
Lid with support gas struts					•
4 lifting shackles			0	•	•
Battery powered LED lamp			0	•	•
24 V DC pump (max. flow rate 50 I/min)	0	0		0	0
12/24 DC pump (max. flow rate 70/35 I/min)				0	0
12 V DC pump (max. flow rate 85 l/min)				0	0
230 V AC pump (max. flow rate 56 I/min)				0	0
Digital flowmeter fixed to the nozzle	0	0	0	0	0
Digital flowmeter fixed to the pump				0	0

Standard accessories. Optional accessories.



TruckMaster® 300 L

TruckMaster® 430 L

Equipment specification:

- 1. Tank
- 2. Pump 3. Automatic nozzle
- 5. Delivery hose 6. Lockable lid*

4. Vent

- 7. Shackles**
- 8. 4" Inspection lid**
- 9. Filling offset**
- * Lid with integrated lock (TM200, TM430 and TM900) TM200 & TM300 can be locked with the padlock (padlock not provided) ** Only available on certain models.

TruckMaster®



Global Head Office:

Kingspan Environmental Ltd 180 Gilford Road Portadown | Co. Armagh | BT63 5LF United Kingdom

Tel.: +44 (0) 28 3836 4444 titan@kingspan.com

European Office:

Kingspan Environmental Sp. z o.o. ul. Topolowa 5 | 62-090 Rokietnica Polska

Tel.: +48 61 814 44 00 Fax: +48 61 814 54 99 titanpl@kingspan.com www.kingspantitan.com/pl



We warrant and declare that the information contained herein is current at the time of publication. Due to continuous improvement of products the information herein is subject to change without notice.